

MILLENNIUM

L U X U R Y C O A C H E S



PREVOST PAINT SPECIFICATIONS VIP

COLOR PAINTING AND COLOR ARE COMPUTER GENERATED AND CANNOT BE CONSIDERED TOTALLY ACCURATE. REFER TO COLOR CHART FOR FURTHER ACCURACY.
DUE TO THE ARTISTIC ASPECT OF COLOR PAINTING, THE FINAL PRODUCT MAY DIFFER SLIGHTLY IN COMPARISON TO THIS RENDERING.

MILLENNIUM K-0295

PROPOSAL 2 18/07/04


PLEASE: MAKE SURE THAT COLOR SPECIFICATIONS AND OPTIONS CHART ARE CORRECTLY FILLED AND ACCURATE

NAME	A	B	C	D
PAINT CODE	BLACK	WHITE PEARL	GREY	DESIGNO RED
REFERENCE #	GM 41U 984A 7370	PREV 88 747475	PREV 115 88474	MERCEDES 993 881770

STROKE 1/2"

OPTIONS	
SUPER CLEAR COAT?	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
ADDITIONAL SPARE QUART OF EACH COLOR?	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
CLEAR PROTECTIVE FILM AT THE FRONT?	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

ROOF : 832133EF IMRON ELITE



CONFIDENTIEL / CONFIDENTIAL

CUSTOMER APPROVAL

PLEASE, MAKE SURE THAT COLOR SPECIFICATIONS CHART IS CORRECTLY FILLED AND ACCURATE AND FAX THIS DOCUMENT TO PREVOST CAR INC. (1-418-885-4925) ATTN: SALES COORDINATOR

SIGNATURE _____

DATE _____

2019 Millennium H3-45 Quad Slide



MILLENNIUM UNIT #10146

2019 H3-45 S4

2019 MILLENNIUM STANDARD SPECIFICATIONS

A/C and Heating Systems

- 4 - 15,000 BTU Reverse Cycle, heat pump, roof mounted, air conditioning systems with Savant controls, I-pad controls and hardwired thermostats
- Air conditioning ducted through ceiling with easy access return points and changeable filters
- 72K BTU Aquahot heater with 1-120 VAC 2000-watt electric element and 1-240 VAC 4500-watt each electric heating element.
 - Aquahot exhausts through roof
 - Engine heating loop system.
- Electric radiant floor heat (under all tile floors throughout coach)
- Aquahot toe board heaters zoned on three thermostats including one in plumbing bay
- 20K BTU multi zone auxiliary heat exchanger ducted to ceiling in two zones activates with Aquahot system
- Electric heat in bathroom (s) toe board with separate thermostat
- Thermostatically controlled 120 VAC ceramic heat in plumbing bay
- Thermostatically controlled 120 VAC ceramic heater in first & second storage bay
- Adjustable directional vents with Millennium's center line design to maximize air flow when slide outs are closed
- Web Remote access to temperature settings with hotspot enabled coaches (Must supply own Air card with Static IP)
- Ceramic film on cockpit windows (33% reduction of heat and 99% reduction in UV rays)

Electrical Systems

- Continuous and uninterrupted marine grade tin plated stranded wiring
- 24 V electrical charging system via 4 150-amp alternators

- ❑ Chassis alternator emergency bypass capabilities
- ❑ Lutron Home Works coach automation control system with Savant interface and remote diagnostic capabilities
- ❑ I-Pad mini in dash, I-Pad mini in plumbing bay, and I-Pad mini by buddy seat
- ❑ I-Pad mini controller with docking station in Salon & Stateroom
- ❑ Marine grade electrical breaker panels
- ❑ 20 KW Powertech ultimate turbo generator with gauged airbag suspension
 - Exclusive Millennium generator radiator roof mounted system
 - Generator exhausts through roof
 - Auto start feature for generator
 - Unique battery boost circuitry
- ❑ Ultra-quiet generator compartment marine grade sound dampening insulation system & secondary floor isolators
- ❑ 100-amp automatic transfer switch
- ❑ 4 – 3,500-Watt Outback 24 V pure sine wave inverters
 - 4 inverter disconnects with marine grade switches
 - 2 manual inverter by-pass switches
- ❑ 8 – 4D AGM deep cycle batteries
- ❑ Generator starting circuitry utilizes either chassis or house batteries
- ❑ 100' shore power cord on Glendenning electric reel with remote control
- ❑ 15 amp to 30 amp shore cord adapter and a 30 amp to 50 amp shore cord adapter
- ❑ Dedicated hardwired Lutron light switch panels in every room
- ❑ Cabinet LED toe kick lighting throughout coach
- ❑ Dimmable accent lighting around ceiling hardwood trim
- ❑ LED accent lighting around window frames
- ❑ Dimmable LED ceiling lights
- ❑ 2 station intercom system with remote control exterior camera and monitor in stateroom
- ❑ LED lights inside all interior cabinets
- ❑ Built-in 4G hotspot cellular amplifier

Audio Visual Systems

- ❑ 55" Samsung Smart LED TV on a marine grade TV lift system (Salon)
 1. Marantz Surround Sound Receiver
 2. Full Range 3 Channel Sound Bar
 3. 3.5 "rear speakers
 4. Evolution 8" Powered Subwoofer

5. Plex Media Server with 3 terabyte Time Capsule (For Movie Storage)

- 40" Samsung Smart LED TV(Stateroom)
 - 1. 3.1 Channel Surround Sound System with a Full Range 3 Channel Sound Bar
- 55" Samsung Smart LED TV (Entertainment bay) 1.3.1 Channel Surround Sound System with a Full Range 3 Channel Sound Bar
- Configurable Savant 8x8 HDMI Switcher with an 8x8 Audio Switch
- Blue Ray player
- Savant Control System with I-Pad integration controlling:
 - 1. Lighting
 - 2. Awnings
 - 3. Slide Controls (except Valid)
 - 4. Mechanical Systems
 - 5. Air Conditioning and Heating
 - 6. Shades
 - 7. Security Cameras and DVR
 - 8. Audio/Video Functions
 - 9. Shore / Generator input Status
 - 10. Awning Window Controls
- 40 Channel Uniden CB Radio with weather band and remote external speaker
- Winegard Dome In-Motion Satellite System
- Winegard High Definition Satellite Antenna System for HD programming while parked – auto stow feature when coach is started
- 2 HD DVR Satellite Receivers
- Stationary Full Digital High Definition Off-Air marine grade Antenna
- Ground Loop noise isolation on cable TV input
- HDMI wiring to all smart TVs
- Easy to use and understand graphics on I-Pad controls
- Apple Mac Mini Computer with wireless keyboard and mouse. Available on all TVs
- Apple TV available on all TVs
- 4 Security Cameras (upgradable to 9 cameras) with 2 TB DVR (upgradeable to 8 TB). Available on all TVs and I-Pads
- External satellite antenna connection and switching
- Integrated Bluetooth module for whole house listening capabilities
- 360° view camera system
- Prewired for star Link.

Plumbing System

- Polished food grade stainless steel fresh water tank
- Polyurethane black water tank
- Polyurethane gray water tank
- Machined aluminum laminate with stain free finish
- Hot and cold water faucet in plumbing compartment
- Water inlet connections for holding tanks clean out
- Manablock plumbing system for constant pressure with individual shut off valves on all fixtures
- Stainless steel hardware
- Auto fresh water fill system
- Built-in 35' fresh water hose on electric reel for fresh water fill system
- Fresh water inlets on both sides of the plumbing bay
- Electric/mechanical 3" dump valves
- 110 VAC Mach 5 multi-stage main water pump
- 12V auxiliary water pump system
- Pressure tank for more efficient water pump operation
- Adjustable city water regulator 80 PSI
- 10-micron whole house filter
- 5-micron GE drinking water filter system
- Fresh tank drain valve
- 1450 PSI - 110 VAC pressure washer with hot & cold water supply – 75ft 3000 PSI hose on electric reel
- Built-in water deionizer for spot free rinse after washing
- Gravity fill inlet on passenger side

Lavatory and Hall

- Water-jet macerating anti-fume toilet
- Fantastic vent fan with rain sensor in lavatory
- Built-in bidet, cleaner, dryer with both pressure and temperature control
- Normal water conservation control
- Heated floor in lavatory and hall
- Lightweight vanities with under mount sinks
- Double handled vanity faucets standard
- Custom made one-piece lightweight water-tight fiberglass shower enclosure and pan – built in caddy & foot rest
- Water pressure and temperature control valve in shower
- Full size stacked ASKO washer and dryer

Salon and Galley

- Lightweight, formaldehyde free, Italian poplar wood cabinet construction
- Natural wood veneer with high grade marine polyurethane (no seams, cannot delaminate) and limited lifetime warranty
- Elegant multi-level cabinetry with curved radius exposures for maximized visual appeal
- Lightweight counter and table tops with indirect LED lighting
- Blanco Sink
- Roll out shelving in large pantry with automatic locking system
- Custom tile back splash
- Concealed paper towel holder
- Miele Coffee Maker hard plumbed in cabinetry with slide back doors for easy access.
- Miele Oven / Convection microwave
- Full size side-by-side refrigerator freezer with ice and water dispenser
- Two burner electric cook top
- All cabinet doors and drawers have positive catches
- Interior of cabinets securely finished with plush liner
- Single handled faucet with built-in sprayer
- Custom designed ceiling with easily cleaned leatherette, mahogany rails, textured inlay, mirrors and directional roof air venting
- Porcelain tile flooring in salon and galley
- Window and wall treatments custom designed to enhance beauty of interior while giving occupant maximum exposure to view from windows
- In-house custom crafted sleeper sofa for maximum fit, comfort and style
- In-house custom crafted recliner
- Large multi-function salon cabinet with swing out worktable – lots of storage options with two drawers that can be easily converted to file folder holder & printer drawer
- Custom decorative throw pillows
- Lutron Silent Power Cell Shades throughout coach which can be operated individually or all together with Savant Tablet or I-Pad
- Air operated doors with build-in safety disconnect
- LED accent lighting in all side windows

Stateroom

- Natural wood veneer cabinetry
- Custom designed ceiling with easily cleaned leatherette, mahogany rails, textured inlay, mirrors and directional roof air venting

- Reading lights above bed
- Maximized LED lighting on dimmers
- Lutron Silent Power Cell Shades which can be operated individually or all together with Savant Tablet or I-Pad
- Custom King size bed
- Upholstered bed base with storage drawer
- Indirect and accent lighting
- Custom quilted bedding and decorative throw pillows
- Custom crafted leather bench seating with pillows.
- Display cabinets on either side of 40" Samsung Smart LED TV
- Digital safe
- Digital clock with alarm available on I-Pad
- Pneumatic operated doors with build-in safety disconnect

Pilot and Co-Pilot seating area

- Step well cover with control switch by the co-pilot seat
- Custom durable easy clean mats on entry steps
- Hand rails on both sides of entry
- Custom made one-piece fiberglass, ergonomic dash upholstered using double baseball stitching
- Electric privacy screen and sun shades with controls by both pilot and co-pilot
- Smart Wheel
- Wood veneer dash panels
- ISRI air ride pilot seat upholstered in-house with decorator inserts. Air adjustable base, massage, heating and a 3-point seat belt
- Cup holders and storage compartments by both pilot and co-pilot seating
- Custom crafted mounted swivel snack tray for driver
- 28" co-pilot seat upholstered in-house with decorator inserts and six-way adjustable electric base, massage, heating, a two-way footrest and a 3-point seat belt
- Pilot and co-pilot map lights
- Ergonomically located controls and gauges on driver's dash
- LED shore power indicators at dash for quick visual status
- Custom clock & outside temperature gauge in helm area

- Hard wired Savant touchpad interfaced with high resolution backup and side view cameras. Easy touch screen pan and tilt and side cameras turn signal activated
- 360degree camera system displayed on dedicated center post monitor
- Master lighting switch control inside door
- Keyless touchpad entry system with key fob and integrated alarm – ability to pop entry door open with the push of a button for ease of access
- Open shoe storage in stepwell
- Custom recessed storage at entry steps
- Dash radio features Apple car play, navigation and 7in. touch screen

Exterior and Bays

- Keyless touchpad entry
- Air horn mounted behind front axle
- Millennium one touch avionics leveling system measures pitch, roll and yaw of bus, with independent Prevost front, left rear, right rear manual override (for coaches with Prevost slides)
- Valid leveling system. (for coaches with Valid slides)
- 12 marker lights with stainless steel trim
- Two 55-watt LED lights on both patio and curb side of coach along with two rear work lights (Valid coaches do not have on curb side)
- Millennium manufactured polished stainless-steel side rub rails
- LED rope lighting along both side awnings along with upper and lowers
- Temp-Coat roof coating
- Custom roof mounted awnings – each multi position – over slide out / window shade / full patio extension (10') – auto retract protection via wind & rain detection sensors – ignition lock out feature
- 4 Zip Dee folding chairs, embroidered with Millennium logo in custom holder
- Full stainless-steel wheel covers
- Drive axle flap with polished trim
- Rear mud flap with polished stainless-steel trim
- Polished stainless-steel weights on all splash guards
- Custom stainless-steel exhaust tip for generator exhaust, above roof of bus
- Large lights in engine compartment
- Trailer hitch with light converter package for 3 or 4 tail light combinations
- Maximized direct wired (not ignition wired) LED lighting in all bay compartments
- Stainless steel screws and bolts in bay construction

- Custom veneered cabinetry
- Enclosed fresh water and holding tank compartment
- Finished functional bay compartments
- 1st bay 117 cubic feet of storage (curbside or roadside)
- 2nd bay 97 cubic feet of storage (curbside or roadside)
- 1st and 2nd Bays have custom made slide trays.
- 3rd bay 57 cubic feet of storage (curbside)
- Cable and external satellite TV connectors near shoreline reel
- Auxiliary air compressor with two service air connections (D/S and P/S)
- 120 VAC GFCI receptacles in the plumbing compartment
- Telescopic ladder
- LED light above entry door
- LED lighting around perimeter of coach – upper & lower
- Custom LED lighting in headlight housings
- Water tight storage area behind front bumper

CHASSIS SPECS

GENERAL

- | | |
|--|---------------------------|
| <input type="checkbox"/> Length, Overall | 45.0 ft |
| <input type="checkbox"/> Wheelbase | 316.12 in |
| <input type="checkbox"/> Width, overall | 102.0 in |
| <input type="checkbox"/> Height, overall finished | 149.0 in/160.0 in |
| <input type="checkbox"/> Floor-to-ceiling height | 83.0 in/ 78.0 in finished |
| <input type="checkbox"/> Cabin floor height (from the ground) | 63.0 in |
| <input type="checkbox"/> Under-floor storage | 146 cubic ft |
| <input type="checkbox"/> Under-floor compartments | 48.5 in |
| <input type="checkbox"/> Entrance door width | 27.0 in |
| <input type="checkbox"/> Step height | 14.0 in |
| <input type="checkbox"/> Ground clearance | 11.0 in |
| <input type="checkbox"/> Turning radius | 42 ft |
| <input type="checkbox"/> Body construction (structure) steel | Integral stainless steel |
| <input type="checkbox"/> Body construction (outer shell) | Fiber composite |
| <input type="checkbox"/> Body construction (sub-frame) tensile steel | Low – alloy/High – |
| <input type="checkbox"/> Fuel tank | 230 gal |

- Fuel filler necks on both sides
- Gross vehicle weight rating 55,500 lbs.
- Front axle design load capacity 19,000 lbs.
- Drive axle design load capacity 22,500 lbs.
- Tag axle design load capacity 14,000 lbs.
- Allison hydraulic transmission retarder
- Pneumatic drive belts tensioners
- Turbo boost gauge
- Engine coolant filter
- Racor fuel filter
- Differential lock traction control

BRAKES

- All disc brakes with ABS and Electronic Stability Program (ESP)
- Output retarder
- Front wheel brake boosters Type 27
- Drive wheels brake boosters Type 24-24
- Tag wheels brake boosters Type 14-16
- Parking brake booster on tag wheels

STEERING AND SUSPENSION

- Smart wheel
- Pneumatic tilt & telescopic steering wheel
- ZF Servocom constant power steering
- ZF Servocomtronic variable power steering
- Independent suspension system
- Steering slave cylinder
- Variable steering assistance system
- Front & drive axle sway bars
- Integrated pneumatic level-low leveling system
- Lifiable tag axle
- Tyron on coaches with two front slide outs

FACTORY OPTIONAL EQUIPMENT

- Factory slide-outs (all electric)
- Electronic Stability Program
- 2 years Prevost Liaison Service

- Xenon headlights
- Headlamp cleaners
- Fog lights
- Ramco remote chrome heated rearview mirrors
- Central electrical door locking system
- Remote keyless locking entrance door
- Remote keyless locking compartment doors
- Trailer hitch package 20,000 lbs.
- Engine & compartments lighting
- 5 color factory exterior paint with special effect & super clear coat
- Back-up sound alarm
- Hot water booster pump
- Engine fire suppression system
- Tire pressure monitoring system (TPMS)
- Prevost Aware – adaptive cruise control

**While every attempt has been made to provide an accurate equipment listing, Millennium is not responsible for errors or omissions.*