

# PREVOST

Ste-Claire, Qué., Canada  
G0R 2V0

## COACH FINAL RECORD

388

MTH XL2 45'	Serial No.: <b>2PCW3349X31028103</b>	Coach No.: N/A
Date: <b>JANUARY 2003</b>	Customer: <b>ROYALE COACH BY MONACO, INC.</b>	Rev.: A

PARTS NAME	MAKE	MODEL	OPTIONAL EQUIPMENT		
ENGINE	D.DIESEL	SERIES 60	REMOVE RUB RAILS REMOVE FRONT & REAR FENDERS, LH & RH DOUBLE SLIDE-OUT BAGGAGE BAY DOOR INTERIOR ALUMINUM LINING ALUMINUM PARTITIONS BETWEEN BAGGAGE COMPTS. RAMCO REMOTE GLAT GLASS & CONVEX ON TOP, CHR. BLOCK HEATER JACOBS ENGINE BRAKES (6 CYL.) RACOR FUEL SEPARATOR SPLASH GUARDS BETWEEN DRIVE & TAG AXLES LEVEL LO VARIABLE STEERING ASSISTANCE SYSTEM BACK UP ALARM SPARE PARTS KIT AIR BRAKE SYSTEM FOR TRAILER HITCH FOUR ADD. TURN SIGNAL & SIDE MARKER LIGHTS (10 EACH)		
SERIAL NO.		6067BK28			
		06R0702012			
TRANSMISSION	ALLISON	HD4000MH			
SERIAL NO.		6610111294			
V-BELT, ALT. 24V.	DAYCO	BX-77			
V-BELT, A/C	GATES RUBB.	A-35			
V-BELT, FAN	DAYCO	AX-74			
BELT, TRANS. FAN	DAYCO	5100510-51			
BELT POLY, A 12V	DAYCO	23521000			
ALTERNATOR 24V.	DELCO-REMY	1901000 (02L12)			
ALTERNATOR 12V.	DELCO-REMY	1117860 (02F03)			
AIR FILTER EL.	NELSON	70337-N			
FRONT AXLE	PREVOST	IFS-84 (0296)			
REAR AXLE	MERITOR	RC23165NFCF107			
	SERIAL NO.	NKA02050594			
CARRIER	MERITOR	A-58-3200-P-1706			
RATIO	MERITOR	4.56			
TAG AXLE	DANA-SPICER	TS-6 (0659)			
AIR DRYER	HALDEX	AT-87192			
FR. BRK.CHAMB.	KNORR	BS3517II31651			
		BS3518II31652			
RR. BRK.CHAMB.	KNORR	BS9524II35699			
TAG BRK.CHAMB.	KNORR	BS9396II18224			
FR. BELLOWS	GOODYEAR	1R12-377			
REAR BELLOWS	GOODYEAR	1R11-089			
TAG BELLOWS	GOODYEAR	1R11-096			
STEERING PUMP	TRW	PS251615L10200			
STEERING BOX	ZF	TYPE 8098			
A/C COMPRESSOR	CARRIER	HG1000			
SERIAL NO.		09424			
DRYER	ARTIC	RD 5-3593-1			
	TRAVELER				
DRIVER'S SEAT	RYM	363760			
TIRES	MICHELIN	PILOTE XZA			
SERIAL NO.	RLI 11976B	RLI 28309B			
	RLI 11734B	RLI 28464B			
	RLI 11751B	RLI 11954B			
	RLI 11939B	RLI 11942B			
	N/A				
WHEEL SIZE	ACCURIDE	27833PW			
	ALCOA	893001, 893002			
TOILET PUMP	JABSCO				
			<b>PAINT</b>		
			<b>PAINT COLOR</b>	<b>MAKE</b>	<b>NUMBER</b>
			ALMOND MET.	BASIS (STANDOX)	PREV. 37
			CLEAR COAT	2K MS (RAPID CLEAR)	11760
			<b>FINITION MATERIAL SPECIFICATIONS</b>		
			<b>MATERIAL</b>	<b>COLOR</b>	<b>NUMBER</b>
			FLOOR COVERING	N/A	
			LEATHERETTE	N/A	
			FABRIC	N/A	
			FORMICA	N/A	
			CARPET	N/A	



# Monaco Coach Corporation

606 Nelson's Parkway  
PO. Box 465  
Wakarusa, Indiana 46573-0465

## Recreational Vehicle Data Card

Unit Serial Number: 04402189450A001004388  
Federal ID Number: 2PCW3349X31028103

ROYALE COACH  
Royale Coach  
Royale Coach

Sales Order  
4387

Item	Manufacturer	Model Number	Serial Number
AIR COMPRESSOR	JUN AIR	6-4	541330
AIR CONDITIONER: FRONT	DOMETIC	630516.321	30634380
AIR CONDITIONER: CENTER	DOMETIC	630516.321	30634382
AIR CONDITIONER: REAR	DOMETIC	630516.321	30634383
AQUA HOT SYSTEM	VEHICLE SYSTEMS	AHE-100-025	03-376
BACK UP CAMERA	PANASONIC	TW-CC200BA	FU3110157
BIG HEAT HEATER	BIG HEAT	6200	A21050187
BRAIN	PANASONIC	YEPOFX3799	18403
CABLE MASTER	GLEN DINNING	CM-7-12VDC	712G09995M
CABLE MASTER REMOTE			43411
CB RADIO	COBRA	25WX-ST	209051310
CD CHANGER	PANASONIC	CXDP88U	583472
DIGITAL CLOCK	INSIGHT	AC1-A	N/A
DRYER	BOSCH	WTA3510US	472100229580020077
GENERATOR	POWER TECH	PTSMH-20TRC	KTA45DCC5891TRC
INSTANT HOT	EMERSON	ERV-AC	XG4869374
INVERTER (1)	TRACE	SW-2512MC	A10012946
INVERTER (2)	TRACE	SW-2512MC	A10007749
HEATER (BATH)	CADET	UC-101	N/A
HEATER (REAR)	CADET	UC-101	N/A
HOUSE BATTERY	CONCORD	8D	38816
HOUSE BATTERY	CONCORD	8D	38817
HOUSE BATTERY	CONCORD	8D	38818
HOUSE BATTERY	CONCORD	8D	38819
HOUSE BATTERY	CONCORD	8D	38820
HOUSE BATTERY	CONCORD	8D	38821
KEYLESS		77313	
MICROWAVE	GE	SCA10017SS01	FF900483K
NAV UNIT	VDO	PC-5000/17	FD0002370041770
RADIO (BAY)	PANASONIC	CQ-DF401U	501006
RADIO (FRONT)	PANASONIC	CQ-VA707WEUC	18403
RADIO (REAR)	PANASONIC	CQ-DF401U	N/A
RANGE	GAGGENAU	HLVC-35	36210006221
REFRIDGERATOR	WHIRLPOOL	GS2SHGXLSO	SM3437551
SATELLITE ACCESS CARD			
SATELLITE RECEIVER #1	RCA	DRD485RGA	C505BEOUD
SATELLITE RECEIVER #2	RCA	DRD485RGA	C505BFOMP
SATELLITE SYSTEM	TRAC STAR	SV 360	5713
STOOL	HEAD HUNTER	ROYAL FLUSH	N/A
THERMOMETER W/ COMPASS	AMERICAN TECHNOLOGY	AT-COMP-01	N/A
TV (FRONT)	PANASONIC	TH42PW5UZ	YB2610141
TV (REAR)	PANASONIC	TC22LT1	UH3210198
TV ANTENNA	MINI-STATE	5MS750	10A02
VCR #1	PANASONIC	PV-V4522	J21A1760
VCR #2	PANASONIC	PV-V4522	J21C27078
WASHER	BOSCH	WFL2060UC	453020224336000512
WATER PUMP	HEADHUNTER	MACH 5	0303-002664F
WATER REEL	GLEN DINNING	HOSE MASTER	5F1235000041R
WATER SOFTENER	KINETICO	50	01498723
TV LIFT	HART DESIGN & FABRICATING	PV26016Q	73462
AWNING CONTROL	ZIP DEE	N/A	N/A
DVD	PANASONIC	SC-DM3P-S	DX2GF001630
PASSENGER SIDE MONITOR	PANASONIC	CY-VM1500EX	FA2350010
24V CHARGER	MAGNETEK	924	N/A
STEREO SYSTEM	BOSE	LIFESTYLE 35	029716E30350026AE
AIR COMPRESSOR	THOMAS	405ADC38/12	010300059752



## This coach features:

### ELECTRICAL

#### Generator

- Power Tech Turbo Diesel Generator 17.5 KW on Slide
- Sound Deadening Package
- Stainless Steel Exhaust System (Exhausted out the rear)
- Generator Starting Battery w/Auxiliary Start Capability Auto Start System

#### Battery System

- Six (6) 12 Volt, Deep Cycle Concorde House Batteries, 8D size
- One (1) 35 Amp, 24 Volt Charger for charging coach batteries switched at dash

#### Inverter System

- Two (2) Trace Inverters @ 2500 Watts
- Pure Sine Wave Units connected to:
  - \* Microwave/ Convection Oven
  - \* TVs/ VCRs
  - \* Refrigerator
  - \* All Receipts and 110V Decor Lighting have built in battery chargers capable of 130 amps
- Units switch automatically to charger when plugged in or when on generator, and to inverter when generator is off or coach is unplugged

#### Lighting: 12 Volt

- (2) Map Lights at Dash Area — one for driver, one for passenger
- Porch Light
- Indirect Lighting in Living Room
- Auto Cabinet Lights, most cabinets
- Spotlights under Dinette & Kitchen Overheads
- Accent Spotlights in Bath Area
- Aisle Lights Switched at Bedroom and Passenger Seat
- Reading Spotlights in Bedroom
- Under Bed Storage Light
- Lights in each Storage Bay (Auto-on w/doors)
- Aisle Lighting Kitchen, Bathroom & Bedroom
- Countertop Lighting Kitchen & Bathroom
- Remote Control Spotlight on Roof
- Rear Work Lights — Exterior (2 each)

#### Lighting: 110 Volt

- Decor Light above Dinette on Dimmer
- Microwave Light
- Refrigerator Light at Door for ice & water

#### Misc. Electrical

- Automatic Changeover Switching between generator & shoreline with generator priority
- Separate 50 Amp Breaker Box for generator & shoreline
- Cable Master Power Cord Reel with Remote Control (45' only)
- G.F.I. Circuits at Kitchen, Bath & Bay
- Convenient 12V Breaker Panels (Front O/H & Bedroom)

- 110V Receipts in Living Room, Bathroom, Bedroom & Bay Area (On inverter)

- Plasma TV Monitor Ceiling Mounted Flip-Down (Living Room)
- 20" Color Remote Stereo TV (Bedroom)
- VCR hooked in to all TVs (Stereo)
- DVD hooked in to all TVs (Stereo)
- Land Line Phone Hook-Ups
- Cellular Phone Ant. & Wiring only
- Doorbell
- Remote Infrared Sensor in Living Room to operate VCR (Located in Bedroom)

#### Dash

- 12V Master Kill Switch (At door also)
- Generator Start/Stop
- Generator Auxiliary Start Switch
- Gen Con 0 - 90 Start (110 Volts)
- Gen Con Monitoring (12 Volts)
- Air/Electric Horn Selector Switch
- Stepwell Cover Switch (Also at the door) (Air operated)
- AquaHot Control Switches
- Center A/C Switch (To use center A/C while in motion)
- 24 Volt Charger Switch (Chassis Batteries only)
- Heat Exchanger Switch
- Front Windshield Power Blind Switches
- Jun-Aire Air Compressor
- Speaker Selector Switch (Selects between Living Room & Bay)
- Flip-Up Screen for Back-Up Monitor System with Radio Controls
- Full Coach Gauge Set (Prevost)

#### Lower Dash Panel

- 8 Disc CD Changer
- Navigation Control Module
- 40 Channel CB w/Weather Receiver in Dash

#### Driver's Console

- HWH Leveling System
- Bose Subwoofer

#### Driver's O/H Gauge Panel

- Generator Monitoring Gauges
- 12V Coach Load Meter
- Shoreline Warning System
- Indoor Thermometer & Compass

#### Front O/H Monitoring Center

- 110V Digital Voltmeters & Ampermeters for both legs
- Head Hunter Holding Tank Monitoring Panel w/Auto Fill
- Inverter Panels
- Comfort Control Module Dual Location Living Room & Bedroom

#### Grab Handle Switch Panel

- 12 Volt Master
- Aisle Lighting
- Step-Well Slideout
- Porch Light
- Rear Work Lights — Exterior
- Dome Lights
- Bay Locks
- Power Front Bumper
- Kitchen Control Panel
- Panel Illumination Switch

- Living Room & Kitchen Ceiling Spotters on Dimmer
- Glass Cabinet Lighting (Vista)
- Crown Lighting O/Hs & Lambrequins

#### Bath Control Panel

- Shower Light Switch
- Ceiling Light Switch
- Dimmer for Make-Up Lights

#### Bedroom Control Panel

- Panel Illumination Switch
- Bedroom Indirect Light Switches
- Reading Light Switches
- Generator Switches
- AM/FM CD Radio
- Panic Button for Alarm System
- Digital Alarm Clock
- Crown Lighting for Lambrequins

### COOLING, VENTILATION & HEATING

#### Cooling

- Ducted Low Profile, Electronically Controlled Roof Air Conditioning System w/Dual Control Module (One in front & one in Bedroom)

#### Ventilation

- Thermostatically Controlled Fantastic Vent (Bath/Private Toilet)

#### Heating

- AquaHot 50,000 BTU Diesel Fired Boiler w/Natural & Forced Air Convector
- Two (2) Electric Heaters (Bathroom & Bedroom)
- Electric & AquaHot Heat in Water Bay
- 10K Convector Heater located @ Living Room, Kitchen & Bedroom
- 4K Convector located @ Front Stepwell, Private Toilet & Bays

### PLUMBING SYSTEMS

- Recoil Water Reel
- 160 Gallon Fresh Water Tank
- 90 Gallon Gray Water Tank
- 53 Gallon Black Water Tank
- AquaHot Webasto Water Heater System w/Motoraid
- Hot/Cold Faucet in Water Bay
- w/Personal Shower Head
- Winterizing System in Bay
- Shurflo Deluxe Water Pump (Backup System to Head Hunter)
- Decorator Faucets Kitchen
- Decorator Faucets Bathroom
- Head Hunter Superbowl w/115 Vac Mach 5 Pump
- Kinetic Water Filtration System
- Instant Hot Water Dispenser
- Filtered Drinking Water Spout

### APPLIANCES

- Whirlpool 21.6 Double Door Refrigerator with Ice & Water Dispenser
- Convection Microwave
- Two (2) Burner Electric Range (110V)
- Stackable Washer/Dryer Combination

### CABINERY & COSMETIC FEATURES

#### Cabinets:

- Hardwoods: Cherry Stained
- Spiced Walnut
- Solid Surface Countertops (Centura)
- Porcelain Kitchen & Bath Floor
- Carpeted Living Room & Bedroom
- Tile (Ceramic Tile) & Centura Shower Combination
- Powered Silhouettes in Living Room
- Powered Silhouettes in Bedroom
- Villa Hallmark Furniture
- Suspended Kitchen Overhead Cabinets
- Dinette: Freestanding Table
- Pantry/Liquor Cabinet in Kitchen Area
- Quilted Bedspread with Decor Pillows
- Custom Wallcoverings
- Ultrasuede Ceiling
- Privacy Blinds at Windshields (Powered)
- Mirrored Doors (Bedroom & Bath)
- Smoked Glass Shower Door
- Cedar Panels on Backs of Wardrobes
- Designer Cabinet Hardware
- Bath Accessory Package
- Carpeted Cabinet Interiors
- Adjustable Shelves in Various Areas
- Carpeted Storage Bays
- Coordinated Formica in Water Bay
- Removable Drawer Boxes
- Accent Fluting

### MISCELLANEOUS STANDARD FEATURES


- Wheel Cover Sets
- Electrical Schematics
- Villa #1000 Air Ride Driver's Seat (6-Way Power Pack)
- Villa #2000 w/Footrest on Passenger Seat
- Portable Vacuum Cleaner
- Custom Black Leather & Wood Steering Wheel
- Remote Controlled Spotlight
- In-Dash Motion Satellite System
- Power Patio Awning
- Full Awnings with Four (4) Chairs
- Painted Roof Items
- Painted Fender Skirts w/Storage Box
- Exterior Stainless Trim Package
- Exterior & Bays Optional Equipment
- Joey Bed Slide-Out in Front Bay
- Bay Entertainment Center (Including TV, Radio, Electric Grill & Drawers)
- Air Dumps
- Decor & Comfort Items
- Carpet Inlay (Per design)
- Caddy for Shampoo & Soap in Shower
- Bath Accessory
- Beveled Mirrors on Wardrobe Doors

#### Optional Appliances

- Garbage Disposal
- Dishwasher (On some models)
- Bay Entertainment System

For a full list of options/specs/floorplans, please refer to the supplemental sheets.

## 45' Double Slide with Custom Bath Area



1. Hanging Storage
2. Series 80 Engine Cover
3. Removable Drawer Storage
4. TV/VCR w/Storage

5. 56" x 70" Bed
6. Towel Cabinet
7. Half Hanging w/Drawers
8. Stacker Washer/Dryer

9. Shower
10. Glass Storage
11. Liquor Cabinet
12. Refrigerator

13. 79" x 37" Dinette w/ Table
14. 90" Combo J/L Lounge
15. Dishwasher
16. 84" Sofa

17. Driver's Console
18. Pilot's Seat
19. Plasma TV
20. Co-Pilot Seat



# A Slide-Out With **PREVOST**. 'Ultimate Class' Warranty And Service

The Prevost XLII Slide-Out is an integral part of the shell and backed 100% by Prevost 'Ultimate Class' warranty and after-sales support.



## FULL TIME ACCESS TO ROOMY UNDER-FLOOR STORAGE COMPARTMENTS

Vertically-hinged doors below the Prevost XLII Slide-Outs provide full time access to roomy under-floor compartments.

## THREE GREAT CONFIGURATIONS AVAILABLE

The Prevost XLII Slide-Out is available in single, dual living room or bedroom configuration.

## MORE THAN JUST INTERIOR SPACE

The Prevost XLII Slide-Out not only adds more space, it's got a pretty face too, with stainless-steel skin on lower section and flush-mounted wrap-around privacy glass windows above. The Prevost XLII Slide-Out is imperceptible when retracted and becomes a natural extension of the shell when extended. The visual absence of pistons and other mechanical parts makes you wonder how it works!



Illustrated with integrated slide-in/slide-out queen bed frame.

## ROCK-SOLID DISPLACEMENT AND QUIET, SMOOTH, STABLE OPERATION

Mechanical movement for displacement is driven by a 24VDC electric motor. The Prevost XLII Slide-Out has four synchronous gears, one located at each corner of the slide-out, to provide rock-solid displacement without compromising its ultra-smooth and quiet operation. And because the operation is electrical and mechanical – and not hydraulic – the risk of any fluid leakage is completely eliminated.

## SLIDE-OUT TECHNOLOGY DEVELOPED BY PREVOST

The Slide-Out technology developed by Prevost is an OEM integrated design with key components engineered specifically for our LeMirage XLII.

- All-aluminum integral structure construction for lower weight and extra strength, adding less than 1,500 pounds to total shell weight.
- Aircraft-type inflatable twin-blade wiper seal creates an ultra-tight seal all around the Slide-Out partition and cleans the outer skin when the Slide-Out is retracting.
- Pneumatic pins maintain the shell structural integrity when traveling.
- 24VDC electric motor with speed reducer includes hexagonal plug for manual override operation.
- Computerized electronic control module provides fully automated operation.



## DIMENSIONS:

### FRONT SLIDE-OUT:

Interior L x D x H: 14 ft. 2 in. x 2 ft. 6 in. x 6 ft. 2 in.  
Exterior L x D x H: 14 ft. 6 in. x 2 ft. 6 in. x 6 ft. 6 in.


### REAR SLIDE-OUT:

Interior L x D x H: 7 ft. 2 in. x 2 ft. x 4 ft. 11 in.  
Exterior L x D x H: 7 ft. 6 in. x 2 ft. x 5 ft. 4 in.





## COACH SHELLS FOR 'ULTIMATE' CLASS CONVERSION SPECIFICATION HIGHLIGHTS

GENERAL	XLII-45	XLII-40	STEERING & SUSPENSION	XLII-45	XLII-40
LENGTH, OVERALL	45.0 FT.	40.0 FT.	TILT & TELESCOPIC STEERING WHEEL	STANDARD	STANDARD
WHEELBASE	315.0 IN.	280.0 IN.	ZF INTEGRAL POWER STEERING (CONSTANT)	STANDARD	STANDARD
WIDTH, OVERALL	102.0 IN.	102.0 IN.	ZF POWER STEERING (VARIABLE ASSISTANCE)	OPTIONAL	OPTIONAL
HEIGHT, OVERALL (BOTH MODELS)	133.75 IN. OR 136.75 IN.		INDEPENDENT SUSPENSION SYSTEM 	STANDARD	STANDARD
HEIGHT, FLOOR-TO-CEILING (BOTH MODELS)	83.0 IN. OR 86.0 IN.		FRONT & DRIVE AXLES SWAY BARS	STANDARD	STANDARD
HEIGHT, CABIN FLOOR	48.5 IN.	48.5 IN.	56° TURNING ANGLE (W/ALUMINUM WHEELS)	STANDARD	STANDARD
USABLE FLOOR LENGTH - COMPLETELY FLAT (NO WHEEL HUMPS)	37.75 FT.	32.75 FT.	LIFTABLE TAG AXLE	STANDARD	STANDARD
STORAGE CAPACITY, UNDERFLOOR	407 CU.FT.	315 CU.FT.	AUTOMATIC SELF-LEVELING SYSTEM (COACH IN MOTION)	STANDARD	STANDARD
ENTRANCE DOOR WIDTH	30.0 IN.	30.0 IN.	INTEGRATED PNEUMATIC LEVEL-LOW LEVELING SYSTEM (COACH IN STATION)	OPTIONAL	OPTIONAL
ENTRANCE STEP HEIGHT	15.0 IN.	15.0 IN.			
OVERHANG (INCL. BUMPER) — FRONT	68.75 IN.	68.75 IN.	<b>TIRES &amp; WHEELS</b>		
(INCL. BUMPER) — REAR	107.75 IN.	82.75 IN.	MICHELIN 315/80R x 22.5 (ALL WHEELS)	STANDARD	STANDARD
TURNING RADIUS	41.75 FT.	37.75 FT.	22.5 x 9" STEEL RIMS (ALL WHEELS)	STANDARD	STANDARD
INTEGRAL STRUCTURE (STAINLESS STEEL AND RUST-PROTECTED HIGH TENSILE STEEL)	STANDARD	STANDARD	22.5 x 8.25" STEEL RIMS (INNER DRIVE AXLE)	STANDARD	STANDARD
STAINLESS STEEL OUTER SHELL (UP TO WINDOW LEVEL)	STANDARD	STANDARD	SIX 9" POLISHED ALUMINUM RIMS W/TWO 9" STEEL RIMS ON INNER DRIVE AXLE	OPTIONAL	OPTIONAL
FUEL TANK — STANDARD (US GALS.)	208.0	250.0			
AUXILIARY FUEL TANK — OPTIONAL (US GALS.)	90.0	N/A	<b>ELECTRICAL</b>		
FUELING FROM BOTH SIDES (W/STD. TANKS)	STANDARD	STANDARD	12-VOLT EXTERIOR LIGHTING	STANDARD	STANDARD
VEHICLE DRY WEIGHT WITH FULL A/C (LBS.)	30 300	29 020	24-VOLT FOR MECHANICAL SYSTEMS	STANDARD	STANDARD
GROSS VEHICLE WEIGHT RATING (LBS.)	51 200	50 500	24-VOLT/75-AMP. ALTERNATOR W/DRIVER A/C	STANDARD	STANDARD
AXLE DESIGN LOAD CAPACITY (LBS.) — FRONT	17 200	16 500	24-VOLT/270-AMP. ALTERNATOR W/FULL A/C	STANDARD	STANDARD
AXLE DESIGN LOAD CAPACITY (LBS.) — DRIVE	21 400	21 400	12-VOLT/145-AMP. ALTERNATOR (HOUSE SYST.)	OPTIONAL	OPTIONAL
AXLE DESIGN LOAD CAPACITY (LBS.) — TAG	12 600	12 600			
DRIVER-ONLY A/C	STANDARD	STANDARD	<b>FACTORY-INSTALLED EQUIPMENT</b>		
FULL A/C	OPTIONAL	OPTIONAL	PREVOST-PATENTED FRAMELESS SIDEWINDOWS	AVAILABLE	AVAILABLE
A/C BLOWER VARIABLE SPEED CONTROL	STANDARD	STANDARD	CHOICE OF SIDEWINDOWS ARRANGEMENT	AVAILABLE	AVAILABLE
			TYPE OF SIDEWINDOWS -- SINGLE/DUAL-PANE, FIXED, SLIDING, AWNING	AVAILABLE	AVAILABLE
<b>POWERTRAIN</b>			TINTED EXTENDED WINDSHIELD OR BLOCK-OFF	AVAILABLE	AVAILABLE
DDEC IV SERIES 60, 12.7-L (500-HP)	STANDARD	STANDARD	LEFT/RIGHT WINDSHIELD ROLLER BLINDS	AVAILABLE	AVAILABLE
3-SPEED ENGINE COOLING FAN (CONTROLLED BY AN IN-LINE THERMOSTATIC CLUTCH)	STANDARD	STANDARD	DRIVER'S WINDOW BLIND	OPTIONAL	OPTIONAL
ALLISON WORLD HD4060, 6-SPEED AUTOM.	STANDARD	STANDARD	RAMCO ELECT. REMOTE HEATED REARVIEW MIRRORS (FLAT GLASS W/SEPARATE CONVEX ON TOP, PAINTED)	STANDARD	STANDARD
CRUISE CONTROL	STANDARD	STANDARD	RAMCO ELECT. REMOTE HEATED REARVIEW MIRRORS (FLAT GLASS W/SEPARATE CONVEX ON TOP, CHROMED)	OPTIONAL	OPTIONAL
JACOB ENGINE BRAKE (ON ALL CYLINDERS)	OPTIONAL	OPTIONAL	CENTRAL DOOR LOCKING SYSTEM	STANDARD	STANDARD
ALLISON HYDRAULIC TRANSMISSION RETARDER	OPTIONAL	OPTIONAL	WABASTO AUXIL. HEATER (80 000 BTUs)	OPTIONAL	OPTIONAL
			TRAILER HITCH PACKAGE	STANDARD	OPTIONAL
<b>BRAKES</b>			LOW FUEL WARNING LIGHT	STANDARD	STANDARD
ANTILOCK BRAKING SYSTEM (ABS)	STANDARD	STANDARD	TURN SIGNAL LIGHTS (4 EXTRA)	OPTIONAL	OPTIONAL
HEAVY-DUTY DISC BRAKES (ALL WHEELS)	STANDARD	STANDARD	SIDEMARKER LIGHTS (4 EXTRA)	OPTIONAL	OPTIONAL
FRONT WHEELS BRAKE BOOSTERS	TYPE 22	TYPE 22	COURTESY LIGHTS BLINKER SWITCH	STANDARD	STANDARD
DRIVE WHEELS BRAKE BOOSTERS	TYPE 24-24	TYPE 24-24	COURTESY LIGHT GROUP (ENGINE AND UNDERFLOOR COMPARTMENTS)	STANDARD	STANDARD
TAG WHEELS BRAKE BOOSTERS	TYPE 16-16	TYPE 16-16	EXTERIOR GRAPHICS DESIGN ASSISTANCE	AVAILABLE	AVAILABLE
AUTOMATIC BRAKE SLACK ADJUSTERS	STANDARD	STANDARD	FACTORY EXTERIOR PAINT	AVAILABLE	AVAILABLE
PARKING BRAKE BOOSTER ON TAG WHEELS	STANDARD	STANDARD			

WWW.PREVOSTCAR.COM

FOR TOLL-FREE SALES INQUIRIES: (USA): 877-PREVOST / (Canada): 877-425-0333

THESE SPECIFICATIONS ARE BASED ON THE LATEST PRODUCT INFORMATION AVAILABLE AT TIME OF PRINTING (00.09.29) AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. CONTACT THE PREVOST VIP COACH SHELL DIVISION OR YOUR PREVOST-APPOINTED INTERIOR DESIGNER AND SYSTEMS MANUFACTURER FOR FULL DETAILS ON THE STATE-OF-THE-ART STANDARD FEATURES, PACKAGES AND OPTIONS AVAILABLE ON THE PREVOST LeMIRAGE XLIII CONVERSION COACH SHELLS.